

チタン板



JIS H 4600

厚さ (mm)	1種		2種		4種	β合金	厚さ (mm)	Gr-5	F136
	TP270C	TP270H	TP340C	TP340H	TP550C				
0.5	●		●				0.6	●	
0.6	●		●		●	●	1.0	●	●
0.7	●		●				1.5	●	●
0.8	●		●		●	●	2.0	●	●
1.0	●		●				3.0	●	●
1.2	●		●				4.0	●	●
1.5	●		●				4.75	●	
2.0	●		●				5.0	●	
2.5	●		●				6.0		●
3.0		●		●			6.35	●	
4.0		●		●			8.0	●	
5.0		●		●			10.0	●	●
6.0		●		●			16.0	●	●
8.0		●		●			19.05	●	
10.0				●			20.0		●
12.0				●			25.0		●
15.0				●			25.4	●	
16.0				●			30.0		●
18.0				●					
20.0				●					
22.0				●					
25.0				●					
30.0				●					
40.0				●					

※取り寄せの為都度在庫確認をお願いします。

※切断販売の際、幅切となる為都度ご確認願います。

表面仕上げ

薄板：2B

厚板：NO.1

上記以外の板厚・切断に関しましては、都度お問合わせ下さい。

チタン丸棒



JIS H 4650			JIS H 4657		
直径	2種	$\alpha+\beta$ 合金	直径	2種	$\alpha+\beta$ 合金
(mm)	TB340H	6Al-4V	(mm)	TB340H	6Al-4V
10	●	●	95	●	
12	●	●	100	●	●
13	●		110	●	●
15	●		120	●	●
16	●	●	130	●	●
18	●	●	140	●	●
20	●	●	150	●	●
22	●		160	●	●
25	●	●	170	●	●
28	●		180	●	●
30	●	●	190	●	
32	●		200	●	●
35	●		210	●	
40	●	●	220	●	
45	●		230	●	
50	●	●	240	●	
55	●	●	250	●	
60	●	●	260	●	
65	●	●	270	●	
70	●	●	280	●	
75	●		290	●	
80	●	●	300	●	
85	●				
90	●	●			

表面仕上げ ピーリング（10～90ミリ）荒切削仕上げ（95ミリ～）
各サイズ切断販売致します。

チタンセンタレス丸棒



TB340CG JIS H 4650

直径	長さ	在庫
φ (mm)	L(mm)	
1.0	1000	●
2.0	1000	●
3.0	2000	●
4.0	2000	●
5.0	2000	●
6.0	2000	●
7.0	2000	●
8.0	2000	●
10.0	2000	●
12.0	2000	●
15.0	2000	●
18.0	2000	●

※切断販売は致しません

チタン配管用パイプ



TTP340W

JIS H 4635

外径 φ (mm)	厚さ t(mm)			
	1.5	2.0	3.0	4.0
13.8	◎	◎		
17.3	●	●	◎	
21.7	●	●	●	
27.2	●	●	●	
34.0	●	●	●	◎
42.7	●	●	●	●
48.6	●	●	●	●
60.5	●	●	●	●
76.3		●	●	●
89.1		●	●	●
101.6		●	●	
114.3		●	●	●
139.8			●	
165.2		●	●	●
216.3			●	●
267.4			●	●

◎→定尺2000mm ●→定尺4000mm
 ※切断販売致します

チタン溶接引抜管

TTP340WC		JIS H 4635	
外径 φ (mm)	厚さ t (mm)	長さ L (mm)	在庫
6	1.0	4000	●
8	1.0	4000	●
10	1.0	4000	●
12	1.0	4000	●
14	1.0	4000	●

※2mも一部あります
 ※切断販売は致しません